



Disclose replacement API definition for getNewOrChangedOffers and getNewOrChangedSchemes

Allows the client to retrieve a list of offers or schemes created or updated within a specified date range.

Document purpose

This document outlines the data fields that will be exposed in the upcoming Disclose REST API, intended to support developers in preparing for the migration from the legacy SOAP-based services. It includes a mapping between the proposed JSON field names and their counterparts in the existing SOAP XML schema and the new Disclose Register web interface.

Please note that this document does not represent the finalised API design. The attributes listed may reside within nested objects or structures not detailed here. A complete OpenAPI Specification (OAS) will be published following the completion of the API design and initial development phases, enabling consumers to begin integration and implementation work.

getNewOrChangedOffers and getNewOrChangedSchemes operations

Operation name/ Method/ Request type	GET
Description	Allows public user to get details of an Offer
Version	
Endpoints	/new-or-changed-offers?start-date={start-date}&end-date={end-date} /new-or-changed-schemes?start-date={start-date}&end-date={end-date}

Legend

Column Name	Description
Difference between REST JSON and SOAP XML element	<p>The following options are used to indicate the nature of the difference , if any, between the new REST OpenAPI JSON element versus the current SOAP XML API element.</p> <ul style="list-style-type: none"> • name - element name changed • enum - list of values changed • structure - structural changed • str - surplus to requirement <p>Note: The following types of general differences are generally applicable and not included in the column 'Difference between REST JSON and SOAP XML element':</p>

Column Name	Description
	<ul style="list-style-type: none"> REST API element name format uses Camel case, e.g. offerNumber, while the SOAP XML element name format uses Pascal case, e.g. OfferNumber. REST API enum values are also in Camel case, e.g. australasianEquities, while the SOAP XML enum values are in uppercase with underscore, e.g. AUSTRALASIAN_EQUITIES. Other minor naming updates to enum values have been made in some cases. REST API element name for document fields adds the suffix 'Document', e.g. fundUpdateDocument.
Type	<ul style="list-style-type: none"> string(x) - alphanumeric value, maximum of x characters string(enum) - this is a special case to indicate that the allowed values for this string field are based on a pre-defined list of values. integer(x) - integer value, maximum of x digits number(x) - numeric value with decimal places (i.e., float or double), maximum of x digits including decimal places. The number of decimal places is specified in the 'Format' column. date - date only field, no time component, using standard format as specified in the 'Format' column date-time - date field with time component, using standard format as specified in the 'Format' column boolean - true or false array – for array data where an array of objects is returned in the API response. repeater-endpoint - this is for array data, to indicate that the initial response will return an endpoint for retrieving the array data in paginated form. <ul style="list-style-type: none"> If there are no relevant records the element is not returned, otherwise it will include a totalResults attribute to indicate how many items can be retrieved. The url endpoint accepts page and page-size parameters to define how much data to return in each API call. In some cases the first page of data may be included in the initial API response and the url endpoint can be used to retrieve further data if needed. single-document - this is for elements that return details of a single document

Response

Operation: getNewOrChangedOffers and getNewOrChangedSchemes response									
Ref	Disclose REST OpenAPI Element Name	Description	Mandatory y/n	Type	Validation rules, if any	Format	Example value	Old SOAP XML Element Name	Difference between REST JSON and SOAP XML element
1	reclId	Record id	y	string					

Operation: getNewOrChangedOffers and getNewOrChangedSchemes response

Ref	Disclose REST OpenAPI Element Name	Description	Mandatory y/n	Type	Validation rules, if any	Format	Example value	Old SOAP XML Element Name	Difference between REST JSON and SOAP XML element
2	offerNumber / schemeNumber	Offer number or Scheme number	y	string(8)	System generated	OFR<sequential number> SCH<sequential number>	OFR12345 SCH12345	ChangeVersions >ChangeVersion >>OfferNumber or SchemeNumber >>EntityType enum: <ul style="list-style-type: none"> • Offer • Scheme 	structure, name, enum
3	offerVersionIdentifier / schemeVersionIdentifier	The version identifier	y	string(32)	System generated	<offer-number or scheme-number>-<sequential number>	OFR12345-1 SCH12345-1	>>VersionNumber	
4	offerVersionDate / schemeVersionDate	The version date	y	date-time		[YYYY]-[MM]-[DD]T[hh]:[mm]:[ss]Z	2025-01-31T08:30:15.52Z	>>VersionDate	

5	filingType	The filing type that triggered this offer/scheme change	Y	Enum (TBC – should be same values as SOAP enum)			>>FilingType enum: <ul style="list-style-type: none"> • fileRegisterOfferDebt • fileRegisterOfferDebtOverseasIssuer • fileRegisterOfferDebtShort • fileRegisterOfferDerivative • fileRegisterOfferEquity • fileRegisterOfferEquityOverseasIssuer • fileRegisterOfferEquityShort • fileRegisterOfferManagedFundsMIP • fileRegisterOfferManagedFundsMIPOverseasIssuer • fileRegisterOfferOtherMIP • fileRegisterOfferOtherMIPOverseasIssuer • fileRegisterOfferOverseasIssuer • fileRegisterSchemeManagedFund • fileRegisterSchemeOtherMIS • fileMaintainOfferDebt • fileMaintainOfferOverseasIssuer • fileMaintainOfferDebtOverseasIssuer • fileMaintainOfferDerivative • fileMaintainOfferEquity • fileMaintainOfferEquityOverseasIssuer • fileMaintainOfferManagedFundsMIP • fileMaintainOfferManagedFundsMIPOverseasIssuer • fileMaintainOfferOtherMIP • fileMaintainOfferOtherMIPOverseasIssuer • fileMaintainOfferUpdateSchemeDetails • fileMaintainSchemeManagedFund • fileMaintainSchemeOtherMIS • fileMaintainFilings • fileSetOfferOpensDate • fileOpenOffer • fileReopenOffer • fileCloseOffer • fileWithdrawOffer • fileFinaliseOffer
---	------------	---	---	---	--	--	--

Operation: getNewOrChangedOffers and getNewOrChangedSchemes response

Ref	Disclose REST OpenAPI Element Name	Description	Mandatory y/n	Type	Validation rules, if any	Format	Example value	Old SOAP XML Element Name	Difference between REST JSON and SOAP XML element
								<ul style="list-style-type: none"> fileCancelScheme fileComplianceOfferDebtAdditionalFinancialInformation fileComplianceOfferDebtAnnualConfirmationNotice fileComplianceOfferEquityAnnualConfirmationNotice fileComplianceOfferDerivativeAnnualConfirmationNotice fileComplianceOfferManageFundsMIPAnnualConfirmationNotice fileComplianceOfferOtherMIPAnnualConfirmationNotice fileComplianceOfferFundUpdate fileComplianceOfferFullPortfolioHoldings fileComplianceSchemeAnnualReportManagedFund fileComplianceSchemeAnnualReportOtherMIS fileComplianceSchemeFinancialStatementsManagedFund fileComplianceSchemeFinancialStatementsOtherMIS fileCorrectComplianceOfferFundUpdate fileCorrectComplianceOfferFullPortfolioHoldings fileRecordFmaNoticeOffer fileRecordFmaNoticeScheme fileMaintainFmaNoticeOffer fileMaintainFmaNoticeScheme fileNoticeOfRectification fileNoticeOfRectificationAdd fileServicePresenterChange fileServiceChannelChange reference 	
6	fundNumber	The fund number of the fund that was the subject of the fund compliance filing	n	string(1000)	Mandatory if filingType is any of: <ul style="list-style-type: none"> fileComplianceOfferFundUpdate fileComplianceOfferFullPortfolioHoldings 	FND<sequential number starting from 1, no leading zeros>	FND123		

Business rules

Rule ref	Rule/Validation details
BR-01	<p>start-date request parameter:</p> <p>The associated filing registered date of the version records to be included in the response must be between the supplied date range start-date and end-date inclusive.</p> <p>Time component defaulting:</p> <ul style="list-style-type: none"> • Default the time component of the start-date to 0:00:00 so that the system will always treat it as the start of the day when the search is executed. <p>Validation:</p> <ul style="list-style-type: none"> • Mandatory • Cannot be a future date
BR-02	<p>end-date request parameter:</p> <p>The associated filing registered date of the version records to be included in the response must be between the supplied date range start-date and end-date inclusive.</p> <p>Time component defaulting:</p> <ul style="list-style-type: none"> • Default the time component of the end-date to 23:59:59 so that the system will always treat it as the end of the day when the search is executed. <p>Validation:</p> <ul style="list-style-type: none"> • Mandatory • Cannot be a future date • Cannot be less than the start-date (it can be equal though, in which case only a day's worth of changes will be returned) • The date range (i.e., end-date minus start-date) cannot be more than the configured maximum range in the system. This is a configurable parameter which will be set initially to 30 (one month).
BR-03	<p>Response sort order</p> <ul style="list-style-type: none"> • Ascending order by offerNumber or schemeNumber, then ascending by offerVersionDate/schemeVersionDate.